

OAK & WALNUT


Byron Solid Oak Adjustable Dressing Table with Drawer

Assembly instructions. Please read before you begin and keep for future reference.

MODEL	SIZE	MATERIAL	ASSEMBLY
YS-60039	152.5–182.5 cm W × 40 cm D × 76 cm H	FAS-graded solid American oak, pinewood	Two people

BEFORE YOU START

In the box



4 Tabletop 5 Legs

FITTINGS

A	B	C	D	E	F
					
Hex key	Hex socket bolt	Spring washer	Flat washer	Suction cup	Felt pad
No. 4 · × 1	M6 × 20 · × 8	M6 · × 8	M6 · × 8	M6 · × 2	× 2

Protect the surface
Work on a blanket or the flattened carton so the surface is not scratched.

Check the contents
Count the parts against this list. If anything is missing or damaged, contact us before you start.

Lift with two people
Lift and move the table and cabinet with two people.

STEP

01


Assemble the L-table

Open the carton and take out the L-table parts and the hardware pack.

Connect the tabletop and the legs as shown in the detail view.

Using the matching holes, fix the L-table to the side legs with the L-shaped metal brackets. Fit each bolt (B) with a spring washer (C) and a flat washer (D) as shown, and tighten with the hex key (A).

Screw the suction cups (E) into the underside of the tabletop.



E Suction cup

STEP

02

Join the L-table to the cabinet

Once the L-table is assembled, put it together with the cabinet.

Use the suction cups to grip the cabinet top.



EVERYDAY CARE

Wipe with a soft, dry cloth. Use coasters and placemats under hot or wet items.

SOLID TIMBER

Oak moves with the seasons. Check the fittings periodically and tighten if needed.

WARRANTY

10-year warranty on the solid timber structure; 1-year warranty on all other parts. Full terms: oakwalnut.com.au/pages/warranty

Need a hand?

Email info@oakwalnut.com.au · Call 0468 029 833
Please include your order number and model number.
oakwalnut.com.au