

OAK & WALNUT


Elio Lift-Top Coffee Table

Assembly instructions. Please read before you begin and keep for future reference.


MODEL	SIZE	MATERIAL
YS-5816	100 cm W × 50 cm D × 47–72 cm H	FAS-graded solid ash

BEFORE YOU START

In the box






Assembled



1 Tabletop · **2** Base plate · **3** Column frame
4 Lift unit · **5** Top frame

TOOL AND FITTINGS

A	B	C	D	E	F
					
Hex bolt	Hex bolt	Spring washer	Flat washer	Flat washer	Hex key
M6 × 20 · × 8	M6 × 35 · × 15	Ø6 · × 14	Ø6 · × 8	Ø8 · × 6	4 mm · × 1

Protect the surface
Work on a blanket or the flattened carton so the surface is not scratched.

Lift with two people
Two people are recommended to turn the table over and stand it upright.

Check the contents
Count the parts against this list. If anything is missing or damaged, contact us before you start.


STEP

01

Fit the lift unit to the base plate

Place the lift unit (4) into the column frame (3).

Then connect the lift unit and the column frame to the base plate (2) with bolts (B), using the hex key (F), as shown.




STEP


02

Fit the top frame and the tabletop

Connect the top frame (5) to the lift unit (4).

Then connect the top frame to the tabletop (1) with bolts. Use the fittings shown in each drawing: bolt (A) with spring washer (C) and flat washer (D); bolt (B) with spring washer (C) and flat washer (E). Tighten with the hex key (F).





EVERYDAY CARE

Wipe with a soft, dry cloth. Use coasters and placemats under hot or wet items.

SOLID TIMBER

Ash moves with the seasons. Check the fittings periodically and tighten if needed.

WARRANTY

10-year warranty on the solid timber structure; 1-year warranty on all other parts. Full terms: oakwalnut.com.au/pages/warranty

Need a hand?

Email info@oakwalnut.com.au · Call 0468 029 833
Please include your order number and model number.
oakwalnut.com.au