

OAK & WALNUT

Jonah Chenille Couch

Assembly instructions. Please read before you begin and keep for future reference.

MODEL
YS-1905 — Wheat
YS-1907 — White


SIZE
222 / 252 / 282 cm W
101 cm D × 96 cm H

MATERIAL
FAS-graded solid American oak, pine, chenille


ASSEMBLY
Two people recommended

BEFORE YOU START

In the box










Assembled



Exploded view

FITTINGS

 A Bolt M8 × 30	 B Bolt M8 × 40 · × 6	 C Bolt M8 × 60 · × 10	 D Bolt M8 × 80 · × 2	 E Spring washer M8	 F Flat washer M8
 G Sleeve nut M8 × 15 · × 2	 H Cross-hole nut M8 × 15 · × 2	 I Self-tapping screw M4 × 30	 J Hex key M5 · × 2	 K Round felt pad × 7	

Quantities of A, E, F and I differ between sofa sizes.

Protect the surface
Work on a blanket or the flattened carton so the surface is not scratched.

Check the contents
Count the parts against this list. If anything is missing or damaged, contact us before you start.

Lift with two people
Two people are recommended to lift and turn the sofa.

STEP

01

Build the frame


Fit the legs.

Connect the backrest to the seat frame and fit the backrest, then connect the seat frame to the armrests.

Then join the left and right sofa frames and backrests together.

Use the fittings lettered at each joint in the drawing, and tighten with the hex key (J).

Stick the felt pads (K), spaced evenly, on the back of the anti-bend rail (7).



STEP

02

Fit the slat panels and middle legs


Lay the sofa with the backrest facing down and fit the slat panels.

Note: the slat panels have a front and a back. The side where the middle leg sits forward is the front.

Then fit the middle legs to their matching holes.

Use the fittings lettered in the drawing: tighten the bolts with the hex key (J) and drive the screws (I) with a screwdriver, as shown.

When this is done, stand the sofa upright and put the cushions on.



1 The middle legs have an adjustable foot underneath. Adjust it to the height you need.

EVERYDAY CARE

Wipe with a soft, dry cloth.

SOLID TIMBER

Oak moves with the seasons. Check the fittings periodically and tighten if needed.

WARRANTY

10-year warranty on the solid timber structure; 1-year warranty on all other parts. Full terms: oakwalnut.com.au/pages/warranty

Need a hand?

Email info@oakwalnut.com.au · Call 0468 029 833
Please include your order number and model number.
oakwalnut.com.au